

Office Microsoft

EAST - [default.wsp:1]

File View Edit Tools Window Help

L16: (1) 2 and 15
L17: (1) 2 and 15
L18: (323) acetoacetoxy
L19: (0) 14 and 18
L20: (79) 2 and 8
L21: (24) 20 and 524/S7.ccls.

Browse Queue Clear
DBs: USPAT
Default operator: OR

 Fluids Synonyms
 Highlight all hit terms initially

BRS terms Is & Reform Image Text

| | U | I | Document ID | Issue Date | Pages | Title | Current OR | Current XRef |
|----|-------------------------------------|--------------------------|---------------|------------|-------|--|------------|---------------------|
| 1 | <input type="checkbox"/> | <input type="checkbox"/> | US 6174953 B1 | 20010116 | 7 | Low molecular weight (meth) acrylate copolymer emulsions | 524/504 | 524/507 ; 524/543 |
| 2 | <input checked="" type="checkbox"/> | <input type="checkbox"/> | US 6160049 A | 20001212 | 13 | Emulsion polymerization process with combination | 524/804 | 526/72 ; 526/87 |
| 3 | <input checked="" type="checkbox"/> | <input type="checkbox"/> | US 6069191 A | 20000530 | 9 | Aqueous resin dispersion and process for the preparation | 523/201 | 524/457 ; 524/507 |
| 4 | <input checked="" type="checkbox"/> | <input type="checkbox"/> | US 6031084 A | 20000229 | 7 | Azoamide compound | 534/886 | 524/190 |
| 5 | <input checked="" type="checkbox"/> | <input type="checkbox"/> | US 5936026 A | 19990810 | 14 | Coatings comprising self-stabilized lattices | 524/504 | |
| 6 | <input checked="" type="checkbox"/> | <input type="checkbox"/> | US 5623016 A | 19970422 | 12 | Aqueous, autocrosslinking polyurethane-vinyl hybrid | 524/591 | 524/839 ; 524/848 |
| 7 | <input checked="" type="checkbox"/> | <input type="checkbox"/> | US 5571861 A | 19961105 | 13 | Aqueous, autocrosslinking polyurethane-vinyl hybrid | 524/591 | 524/839 ; 524/840 |
| 8 | <input checked="" type="checkbox"/> | <input type="checkbox"/> | US 5569705 A | 19961029 | 12 | Aqueous dispersion of polyurethane resins, the | 524/591 | 252/182.18 ; 522/90 |
| 9 | <input checked="" type="checkbox"/> | <input type="checkbox"/> | US 5548019 A | 19960820 | 7 | Composition for an aqueous coating material | 524/591 | 524/589 ; 524/839 |
| 10 | <input checked="" type="checkbox"/> | <input type="checkbox"/> | US 5453540 A | 19950926 | 40 | Isocyanate derivatives comprising fluorochemical | 564/96 | 427/389 ; 427/389.9 |
| 11 | <input checked="" type="checkbox"/> | <input type="checkbox"/> | US 5447982 A | 19950905 | 14 | Process for preparing an aqueous dispersion, aqueous | 524/458 | |

Start Clock 4/17/01 Inbox: Microsoft Outlook EAST - [default.wsp:1] 1:24PM

Office Microsoft

EAST - [Untitled:1]

File View Edit Tools Window Help

L18: (7232) oxazolidinylet
L19: (7) 11 same 18
L20: (11) 11 and 18
L21: (54) "3678098"
L22: (2116) diacetone with
L23: (14) 8 and 22

Search Browse Queue Clear
DBs USPAT
Default operator: OR
8 and 22

Print Synonyms
 Highlight all hit terms initially

BRS form S&R form Image Text

| | U | I | Document ID | Issue Date | Pages | Title | Current OR | Current XRef |
|----|-------------------------------------|--------------------------|--------------|------------|-------|--|------------|------------------------|
| 5 | <input checked="" type="checkbox"/> | <input type="checkbox"/> | US 5409994 A | 19950425 | 12 | Automotive top coating composition | 525/160 | 525/101 ; 525/209 |
| 6 | <input checked="" type="checkbox"/> | <input type="checkbox"/> | US 4996089 A | 19910226 | 39 | Optical data recording medium | 428/64.9 | 346/135.1 ; 369/288 |
| 7 | <input checked="" type="checkbox"/> | <input type="checkbox"/> | US 4696975 A | 19870929 | 7 | Room temperature-curable resin composition | 525/113 | 525/117 ; 525/119 |
| 8 | <input checked="" type="checkbox"/> | <input type="checkbox"/> | US 4225407 A | 19800930 | 12 | Cathodic electrodeposition of polymers onto a | 204/500 | |
| 9 | <input checked="" type="checkbox"/> | <input type="checkbox"/> | US 4151333 A | 19790424 | 10 | Cell regulators in structural foams | 521/95 | 521/134 ; 521/139 |
| 10 | <input checked="" type="checkbox"/> | <input type="checkbox"/> | US 4007147 A | 19770208 | 6 | Water based hardboard coating compositions of an | 523/221 | 428/460 ; 428/463 |
| 11 | <input checked="" type="checkbox"/> | <input type="checkbox"/> | US 3998776 A | 19761221 | 7 | Isothiouronium stabilized latexes | 524/723 | |
| 12 | <input checked="" type="checkbox"/> | <input type="checkbox"/> | US 3994792 A | 19761130 | 8 | Electrodeposition of sulfoxonium stabilized | 204/499 | |
| 13 | <input checked="" type="checkbox"/> | <input type="checkbox"/> | US 3993612 A | 19761123 | 11 | Aqueous coating composition | 524/559 | 524/522 ; 524/523 |
| 14 | <input checked="" type="checkbox"/> | <input type="checkbox"/> | US 3882009 A | 19750506 | 7 | Electrodeposition of isothiouronium stabilized | 204/475 | 204/499 ; 524/723 |

Start Click 4/17/01 Inbox: Microsoft Outlook EAST - [Untitled:1] 9:41 AM

Office Microsoft

EAST - [Untitled:1]

File View Edit Tools Window Help

L18: (7232) oxazolidinylet
L19: (7) 11 same 18
L20: (11) 11 and 18
L21: (54) "3678098"
L22: (2116) diacetone with
L23: (14) 8 and 22

Failed
Saved

Browse Queue Clear
DBs: USPAT Plural Synonyms
Default operator: OR Highlight all terms initially
8 and 22

BRS form S&R form Image Text

| | U | I | Document ID | Issue Date | Pages | Title | Current OR | Current XRef |
|----|-------------------------------------|--------------------------|--------------|------------|-------|--|------------|---------------------|
| 1 | <input type="checkbox"/> | <input type="checkbox"/> | US 5928730 A | 19990727 | 18 | Processing for forming cured paint film | 427/457 | 204/471 ; 204/492 |
| 2 | <input checked="" type="checkbox"/> | <input type="checkbox"/> | US 5576393 A | 19961119 | 25 | Polymer particles, method of producing the same, and | 525/293 | 430/106 ; 430/109 |
| 3 | <input checked="" type="checkbox"/> | <input type="checkbox"/> | US 5548019 A | 19960820 | 7 | Composition for an aqueous coating material | 524/591 | 524/589 ; 524/839 |
| 4 | <input checked="" type="checkbox"/> | <input type="checkbox"/> | US 5541031 A | 19960730 | 26 | Polymer particles and toner for electrophotography using | 430/129 | 428/402 ; 430/111 |
| 5 | <input checked="" type="checkbox"/> | <input type="checkbox"/> | US 5409994 A | 19950425 | 12 | Automotive top coating composition | 525/160 | 525/101 ; 525/209 |
| 6 | <input checked="" type="checkbox"/> | <input type="checkbox"/> | US 4996089 A | 19910226 | 39 | Optical data recording medium | 428/64.9 | 346/135.1 ; 369/288 |
| 7 | <input checked="" type="checkbox"/> | <input type="checkbox"/> | US 4696975 A | 19870929 | 7 | Room temperature-curable resin composition | 525/113 | 525/117 ; 525/119 |
| 8 | <input checked="" type="checkbox"/> | <input type="checkbox"/> | US 4225407 A | 19800930 | 12 | Cathodic electrodeposition of polymers onto a | 204/500 | |
| 9 | <input checked="" type="checkbox"/> | <input type="checkbox"/> | US 4151333 A | 19790424 | 10 | Cell regulators in structural foams | 521/95 | 521/134 ; 521/139 |
| 10 | <input checked="" type="checkbox"/> | <input type="checkbox"/> | US 4007147 A | 19770208 | 6 | Water based hardboard coating compositions of an | 523/221 | 428/460 ; 428/463 |
| 11 | <input checked="" type="checkbox"/> | <input type="checkbox"/> | US 3998776 A | 19761221 | 7 | Isothiouronium stabilized latexes | 524/723 | |

Start Clock 4/17/01 Inbox: Microsoft Outlook EAST - [Untitled:1] 9:40 AM